

[Web](#) [Images](#) [Maps](#) [News](#) [Shopping](#) [Gmail](#) [more ▼](#)
[Sign in](#)

provisioning a token secret

Search

[Advanced Search](#)  
[Preferences](#)
[Web](#) [Books](#)

Results 1 - 10 of about 47,900 for provisioning a token secret with Safesearch on. (0.31 seconds)

[\[PPT\] Key Provisioning Use Cases and Requirements](#)File Format: Microsoft Powerpoint - [View as HTML](#)

An issuer outsources its OTP software token secret provisioning to a service provider; A user goes to issuer site to purchase a token and receives an ...

[www.ietf.org/proceedings/06nov/slides/keyprov-2/keyprov-2.ppt](#) - [Similar pages](#)
[\(WO/2005/083924\) TOKEN PROVISIONING](#)

TOKEN PROVISIONING Field of the Invention [0001] The field of the invention is information security, and in particular provisioning a token with a secret ...

[www.wipo.int/pctdb/en/wo.jsp?IA=US2005005482&DISPLAY=DESC](#) - 32k -

[Cached](#) - [Similar pages](#)
[Token provisioning - Patent Application 20050188202](#)

The field of the invention is information security, and in particular provisioning a token with a secret that can be used by the token to generate a ...

[www.freepatentsonline.com/y2005/0188202.html](#) - [Similar pages](#)
[\[PDF\] On-board Credentials with Open Provisioning](#)File Format: PDF/Adobe Acrobat - [View as HTML](#)

Aug 29, 2008 ... designing and provisioning new hardware tokens,. • open, so as to allow any service provider to provision new credential secrets as well as ...

[research.nokia.com/files/NRCTR2008007.pdf](#) - [Similar pages](#)
[by JE Ekberg](#) - [Cited by 1](#)
[Easy OTP Token Home page](#)

Token provisioning on your OTP server. Token id, secret keys. End-User Fulfillment.

Token personalization & customization (colors, logo); Token user binding ...

[www.gemalto.com/products/easy\\_otp\\_token/](#) - 25k - [Cached](#) - [Similar pages](#)
[OAuth Spec | devdev2050](#)

Expiration of tokens, provisioning of Consumer keys and secrets are beyond the scope.

As are application specific permissions. these things might get ...

[term ie/devdev/oauth-spec-working](#) - 30k - [Cached](#) - [Similar pages](#)
[Securing Electronic Business Processes Highlights of the ... - Google Books Result](#)
[by 2006 ISSE \(B. Roma - 2006](#)

3.4 Provisioning This section describes the existing and drafts that exist ... cryptographic tokens with secret keys without exposing generated, secret, ...

[books.google.com/books?isbn=3834802131...](#)
[Optaining an Authentication Token Construct a URL to](#)

Expiration of tokens, provisioning of API keys and secrets are beyond the scope. As are application specific permissions. # Error codes (and they all need ...

[laughingnme.org/more/oauth-spec.txt](#) - 8k - [Cached](#) - [Similar pages](#)
[draft-cam-winget-eap-fast-potp-provisioning-02](#)

EAP-POTP allows a protected authentication based on a pre-shared secret provisioned into a one-time password generating token. Possession of the token and ...

[ftp.ietf.org/pub/drafts/draft-cam-winget-eap-fast-potp-provisioning-02.txt](#) - 19k -

[Cached](#) - [Similar pages](#)

## SSO Credential Provisioning - NOVELL FORUMS

3 posts - Last post: Nov 25, 2008

`<arg-dn><token-local-variable name="fullyqifdsrocdn"/> </arg-dn> ....` So, Do anyone know a way to read an SSO secret from Secret Store? ...

[forums.novell.com/novell-product-support-forums/securelogin/334920-ss0-credential-provisioning.html](https://forums.novell.com/novell-product-support-forums/securelogin/334920-ss0-credential-provisioning.html) - 59k - [Cached](#) - [Similar pages](#)

1 2 3 4 5 6 7 8 9 10 [Next](#)

---

provisioning a token secret

[Search within results](#) | [Language Tools](#) | [Search Tips](#) | [Dissatisfied? Help us improve](#) |  
[Try Google Experimental](#)

---

[Google Home](#) - [Advertising Programs](#) - [Business Solutions](#) - [Privacy](#) - [About Google](#)

[Web](#) [Images](#) [Maps](#) [News](#) [Shopping](#) [Gmail](#) [more ▼](#)
[Sign in](#)

encrypt OTP secret "public key"

Search

[Advanced Search](#)  
[Preferences](#)

Web

Results 1 - 10 of about 91,300 for encrypt OTP secret "public key" with Sefesearch on. (0.24 seconds)

[\[PPT\] Key Provisioning Use Cases and Requirements](#)File Format: [Microsoft Powerpoint](#) - [View as HTML](#)

The secret is encrypted with the public key of the device certificate. Use Case 3. A

desktop user obtains an OTP shared secret ...

[www.ietf.org/proceedings/06nov/slides/keyprov-2/keyprov-2.ppt](#) - [Similar pages](#)[Private-key \(or secret-key\) cryptography](#)

Oct 16, 2008 ... Secret-key systems. Asymmetric encryption. Public key · Session keys ...

method (sometimes called "One-Time Password" and abbreviated OTP), ...

[en.kioskea.net/contents/crypto/cleprivée.php3](#) - 43k - [Cached](#) - [Similar pages](#)[Slashdot | Time Running Out for Public Key Encryption](#)

Sep 13, 2007 ... Suppose we have a public-key cryptosystem consisting of an encryption function E and a decryption function D, with a secret key Ks and a ...

[slashdot.org/article.pl?sid=07/09/13/1720251](#) - 140k - [Cached](#) - [Similar pages](#)[Snake Oil Warning Signs:Encryption Software to Avoid](#)

Apr 10, 1998 ... Failure to verify that the public key really does belong to Bob leaves ....

Technically, the encrypted output of an OTP system is equally ...

[www.interhack.net/people/omcurtin/snake-oil-faq.html](#) - 39k - [Cached](#) - [Similar pages](#)[One-time pad - Wikipedia, the free encyclopedia](#)

In cryptography, the one-time pad (OTP) is an encryption algorithm where the plaintext is ... and kept secret, the one-time pad provides perfect secrecy. ...

[en.wikipedia.org/wiki/One-time\\_pad](#) - 90k - [Cached](#) - [Similar pages](#)[Crash course on cryptography: Secret key cryptography \(in ...](#)

This makes an OTP very difficult to manage. It is said to have been used for the ... Usually the key is encrypted using public key encryption so it can be ...

[www.usmentis.com/technology/encryption/crashcourse/secretkeycrypto/](#) - 20k -[Cached](#) - [Similar pages](#)[\[doc\] ACM Encryption Workshop](#)File Format: [Microsoft Word](#) - [View as HTML](#)

The Vernam cipher, or One Time Pad (OTP) encryption scheme was developed by

Gilbert ... The pair of numbers e and n are the components of the public key. ...

[www.cooper.edu/~walffs/encryption/handout.doc](#) - [Similar pages](#)[\(WO/2005/083924\) TOKEN PROVISIONING](#)

The CA can also generate a certificate that can include the public key received from the token, the encrypted OTP secret, and a digital signature that is ...

[www.wipo.int/pctdb/en/wo.jsp?lA=US2005005482&DISPLAY=DESC](#) - 32k -[Cached](#) - [Similar pages](#)[Free encryption key Download - encryption key Software](#)

OTP encryption is absolutely unbreakable if used correctly. .... Encryption functions (public key/ secret key) and huge integer math functions ...

[wareseeker.com/free-encryption-key/](#) - 67k - [Cached](#) - [Similar pages](#)

[PDF] [Unbreakable Encryption Software](#)

File Format: PDF/Adobe Acrobat

Top Secret Cryptography – One Time Pad is based on the VOC technology and gives you access to, unbreakable OTP encryption. OTP encryption is absolutely ...

[www.geocities.com/otp\\_description/cyberprotect.pdf](#) - Similar pages

1 2 3 4 5 6 7 8 9 10 [Next](#)

---

encrypt OTP secret "public key"

Search

[Search within results](#) | [Language Tools](#) | [Search Tips](#) | [Dissatisfied? Help us improve](#) |  
[Try Google Experimental](#)

---

[Google Home](#) - [Advertising Programs](#) - [Business Solutions](#) - [Privacy](#) - [About Google](#)

[Web](#) [Images](#) [Maps](#) [News](#) [Shopping](#) [Gmail](#) [more ▼](#)[Sign in](#)

update OTP secret

Search

[Advanced Search](#)  
[Preferences](#)

Web Results 1 - 10 of about 1,750,000 for update OTP secret with Safesearch on. (0.30 seconds)

Did you mean: [update TOP secret](#) Top 2 results shown[IconBuffet | Blog Forum | Super TOP SECRET Update - PART 4](#)

One thing I'm confused about is the blog title "Super TOP SECRET Update"...if the update's top secret, then surely posting it on the blog makes it extremely ...

[www.iconbuffet.com/people/josh/blogs/super-top-secret-update--part-4 - 37k -](#)[Cached](#) - [Similar pages](#)[Arthole: Update to 'Top Secret'](#)

Update to 'Top Secret'. My original 'Top Secret' plans have been scrapped and I am starting over. However, rather than waiting to open the sim, ...

[artholeblog.blogspot.com/2008/07/update-to-top-secret.html - 63k -](#) [Cached](#) - [Similar pages](#)[Results for: update OTP secret](#)[Easy OTP Token Home page](#)

Using a contactless reader, Administrators of customer care portal can update the Easy OTP Token memory: token id, secret keys given by the customer portal. ...

[www.gemalto.com/products/easy\\_otp\\_token/ - 25k -](#) [Cached](#) - [Similar pages](#)[Top Secret: A History of Black Ops Patches : NPR](#)

Jan 14, 2008 ... And so if you're going to fly secret airplanes, you need to have a ... I mean, we've talked about that this is a secret world and these ...

[www.npr.org/templates/story/story.php?storyId=18067308 -](#) [Similar pages](#)[Using OTP](#)

Using OTP. Last update: March 23, 2001 ... Password: At this password prompt, you enter your OTP you generated using key (not your secret or Unix password). ...

[www.ableminds.com/support/otp.html - 7k -](#) [Cached](#) - [Similar pages](#)[draft-ietf-otp-ext-00 - OTP Extended Responses](#)

INTERNET DRAFT OTP Extended Responses September 25, 1996 check-update ... and thus set the OTP sequence and/or secret to a value chosen by the attacker. ...

[tools.ietf.org/html/draft-ietf-otp-ext-00 - 31k -](#) [Cached](#) - [Similar pages](#)[Mobile-OTP: Strong Two-Factor Authentication with Mobile Phones](#)

last update of this site: November 9th, 2008. NEW (2008-11-29): changed otpverify.sh to ...

Mobile-OTP is based on a function of PIN x Init-Secret → OTP. ...

[motp.sourceforge.net/ - 15k -](#) [Cached](#) - [Similar pages](#)[OTP Keygen - palmtop database](#)

Nov 17, 2004 ... The secret passphrase. OTP Keygen will then compute the response in two ... and do not lose patience if the update appears to be stuck. ...

[www.bitrot.de/pda\\_otpkeygen.html - 10k -](#) [Cached](#) - [Similar pages](#)[OTP: Update on Niki](#)

Re: OTP: Update on Niki. From: Kimmy. Re: Update on Niki. From: Gwen Love ... (

alt.support.stop-smoking); Re: ASC Secret Santa 2007 update: ...

[newsgroups.de/keifer.com/Archive/Alt/alt.support.athritis/2005-10/msg00971.html - 10k -](#)

Cached - Similar pages

HTTP/1.1 200 OK Date: Tue, 09 Apr 2002 06:08:47 GMT Server: Apache ...  
The check-update and check-value fields provide a simple defense against active ... The  
OTP system prepares a secret and seed for iteration by concatenating ...  
[www.potaroo.net/ietf/all-ids/draft-ietf-otp-ext-00.txt](http://www.potaroo.net/ietf/all-ids/draft-ietf-otp-ext-00.txt) - 21k - Cached - Similar pages

[PDF] [Using BiGuard OTP \(ASAS Server\) with BiGuard SSL VPN Gateway](#)  
File Format: PDF/Adobe Acrobat - View as HTML  
same Shared Secret word will need to be entered in the BiGuard SSL VPN ... ESN of the  
BiGuard OTP key to the user, please click on the Update User button. ...  
[www.billion.com/\\_internet/usermanual/biguard\\_otp\\_Using\\_BiGuard\\_OTP\\_...](http://www.billion.com/_internet/usermanual/biguard_otp_Using_BiGuard_OTP_with_BiGuard_router.pdf)  
[with\\_BiGuard\\_router.pdf](#) - Similar pages

Rent A Coder - C# Class for OATH/HMAC/SHA1 OTP (one time password)  
Aug 14, 2008 ... This is using the one time password (OTP) standard put out by the  
OATH .... puts(h.update) # => "287082" Using HOTP as a class method secret ...  
[www.rentacoder.com/RentACoder/misc/BidRequests/ShowBidRequest.asp?](http://www.rentacoder.com/RentACoder/misc/BidRequests/ShowBidRequest.asp?lngBidRequestId=986417)  
[lngBidRequestId=986417](#) - 73k - Cached - Similar pages

Did you mean to search for: update TOP secret

1 2 3 4 5 6 7 8 9 10    Next

---

update OTP secret

Search

[Search within results](#) | [Language Tools](#) | [Search Tips](#) | [Dissatisfied? Help us improve](#) |  
[Try Google Experimental](#)

---

[Google Home](#) - [Advertising Programs](#) - [Business Solutions](#) - [Privacy](#) - [About Google](#)

[Web](#) [Images](#) [Maps](#) [News](#) [Shopping](#) [Gmail](#) [more](#) ▼[Sign in](#)

OTP secret expiration

Search

[Advanced Search](#)  
[Preferences](#)

Web Results 1 - 10 of about 314,000 for OTP secret expiration with Safesearch on. (0.27 seconds)

Did you mean: [TOP secret expiration](#) Top 2 results shown[Expiration date does not matter, page 1](#)

Discussion about Expiration date does not matter in the AboveTopSecret.com website alternative topics discussion forum Medical Issues & Conspiracies.  
[www.abovetopsecret.com/forum/thread145689/pg1](http://www.abovetopsecret.com/forum/thread145689/pg1) - 54k - [Cached](#) - [Similar pages](#)

[Expired Hydrocodone, page 1](#)

Discussion about Expired Hydrocodone in the AboveTopSecret.com website alternative topics discussion forum Health & Wellness.  
[www.belowtopsecret.com/thread181718/pg1](http://www.belowtopsecret.com/thread181718/pg1) - 63k - [Cached](#) - [Similar pages](#)

---

**Results for: OTP secret expiration**[draft-richards-otp-kerberos-03 - OTP Kerberos](#)

Richards Expires December 27, 2007 [Page 1] Internet-Draft OTP Kerberos June ..... FAST Facilities The secret used to generate the OTP is known only to the ...  
[tools.ietf.org/html/draft-richards-otp-kerberos-03](http://tools.ietf.org/html/draft-richards-otp-kerberos-03) - 49k - [Cached](#) - [Similar pages](#)

[draft-hoyer-keyprov-pskc-algorithm-profiles-00 - Additional ...](#)

Dec 24, 2008 ... This Internet-Draft will expire on June 27, 2009. .... constraints apply: - The value of the <Secret> element MUST contain key material with a .... This algorithm can be used for otp, challenge response, parameter based ...  
[tools.ietf.org/html/draft-hoyer-keyprov-pskc-algorithm-profiles-00](http://tools.ietf.org/html/draft-hoyer-keyprov-pskc-algorithm-profiles-00) - 58k - [Cached](#) - [Similar pages](#)  
[More results from tools.ietf.org »](#)

[Token provisioning - Patent Application 20050188202](#)

... a serial number, one or more expiration dates, a copy of the certificate ... The Requesting Token can store the OTP Secret. The stored OTP Secret can ...  
[www.freepatentsonline.com/y2005/0188202.html](http://www.freepatentsonline.com/y2005/0188202.html) - [Similar pages](#)

[From: http://www.ietf.org/internet-drafts/draft-hoyer-keyprov-pskc ...](#)

This algorithm can be used for otp, challenge response, parameter based MACing ... Secret \* Counter \* Time \* TimeInterval Hoyer, et al. Expires June 27 ...  
[xml.coverpages.org/draft-hoyer-keyprov-pskc-algorithm-profiles-00.txt](http://xml.coverpages.org/draft-hoyer-keyprov-pskc-algorithm-profiles-00.txt) - 40k - [Cached](#) - [Similar pages](#)

[\[PDF\] One-Time Passwords](#)

File Format: PDF/Adobe Acrobat - View as HTML  
The good news is that OTP secrets are typically longer than 8 characters and .... on the market which expire (after 2 years or 4 years, depending on which ...  
[www.deer-run.com/~hai/ns2000/otp.pdf](http://www.deer-run.com/~hai/ns2000/otp.pdf) - [Similar pages](#)

[ActivIdentity Tokens](#)

... to resources by possession of the token and knowledge of a secret (a PIN number). ... ActivIdentity algorithms are compatible with the ActivIdentity OTP smart card ... Re-provisioning an expired token is expensive and inconvenient, ...  
[www.actividentity.com/products/tokens\\_otp\\_home.php](http://www.actividentity.com/products/tokens_otp_home.php) - 40k - [Cached](#) - [Similar pages](#)

### SWITCHmirror - Internet-Drafts & RFC

This Internet-Draft will expire on June 27, 2009. .... The "OTP" attribute of the <Usage> MUST be set "true" and it MUST be the ... Time \* TimeInterval The following additional constraints apply: - The value of the <Secret> element MUST ...  
mirror.switch.ch/cgi-bin/search/nph-findstd?preview=draft-hoyer-keyprov-psko-algorithm-profiles-00.txt&scope=draft - 17k - [Cached](#) - [Similar pages](#)

### (WO/2005/083924) TOKEN PROVISIONING

The Requesting Token can store the OTP Secret. The stored OTP Secret can then ...  
[0012] In one embodiment of the present invention, the same OTP Secret can ...  
www.wipo.int/pctdb/en/wo.jsp?IA=US2005005482&DISPLAY=DESC - 32k - [Cached](#) - [Similar pages](#)

### OTP Methods for TLS

The current document leverages these ciphersuites by using shared secrets that are based on OTPs. As such, the OTP becomes the basis for authentication of a ...  
[0012] In one embodiment of the present invention, the same OTP Secret can ...  
http://ftp.rsasecurity.com/pub/otps/otp-tls/draft-linn-otp-tls-00.html - 51k - [Cached](#) - [Similar pages](#)

### draft-linn-otp-tls-00.txt

21 Linn & Nystroem Expires December 7, 2006 [Page 2] Internet-Draft OTP Methods for TLS ... to each other based on common possession of a shared secret. ...  
www21.ocn.ne.jp/~k-west/SSLandTLS/draft-linn-otp-tls-00.txt - 35k - [Cached](#) - [Similar pages](#)

Did you mean to search for: TOP secret expiration

1 2 3 4 5 6 7 8 9 10 [Next](#)

---

OTP secret expiration

[Search within results](#) | [Language Tools](#) | [Search Tips](#) | [Dissatisfied? Help us improve](#) |  
[Try Google Experimental](#)

---

[Google Home](#) - [Advertising Programs](#) - [Business Solutions](#) - [Privacy](#) - [About Google](#)



[Web](#) [Images](#) [Maps](#) [News](#) [Shopping](#) [Gmail](#) [more ▾](#)
[Sign in](#)

seed update "public key"

Search

[Advanced Search](#)  
[Preferences](#)
[Web](#) [Books](#)

Results 1 - 10 of about 54,500 for seed update "public key" with Safesearch on. (0.23 seconds)

[Advogato: Blog for randombit](#)

Update 2008-12-08: I've confirmed that the private half of a DSA keypair can be derived from the public key and a single signature/message pair, ...  
[advogato.org/person/randombit/diary/9.html](#) - 11k - [Cached](#) - [Similar pages](#)

[draft-badra-tls-key-exchange-00 - Pre-Shared-Key key Exchange ...](#)

In many cases, a TLS public-key-based handshake is unnecessary; ... methods for TLS August 2004 server calculate the seed and update the pre shared key as ...  
[tools.ietf.org/html/draft-badra-tls-key-exchange-00](#) - 32k - [Cached](#) - [Similar pages](#)

[Embedded Java Security: Security for Mobile Devices - Google Books Result](#)

by Mourad Debbabi, Mohamed Saleh, Chameedline ... - 2007 - Computers - 243 pages  
 ... seed, 0); It is easy to notice that the seed update depends only on the ... The challenge is more likely to be a nonce encrypted with the public key of ...  
[books.google.com/books?isbn=1846285909...](#)

[Class java.security.Signature](#)

with a public key, which initializes the signature for verification. .... public final KeyPair generateKeyPair(byte seed[]) throws KeyException ...  
[www.cs.mun.ca/~michael/java/jdk1.1-beta2-docs/api/java.security.Signature.html](#) - 46k - [Cached](#) - [Similar pages](#)

[System and method for mutual authentication according to the ...](#)

Nov 3, 2004 ... The memory card 20 includes the public key storage unit 201, a random number seed storage unit 202, a random number seed update unit 203, ...  
[www.freepatentsonline.com/EP1473722.html](#) - [Similar pages](#)  
 by O Shibata - 2004 - [All 3 versions](#)

[Park Seed: Seeds and plants for vegetable, flower, annual and ...](#)

... you use Park Seed's public key to encrypt your personal information. ... Parkseed.com may update this Privacy Policy from time to time to better serve ...  
[www.parkseed.com/gardening/Park/MP.PrivacyPolicy/NV.scChannel.sitemap](#) - 50k - [Cached](#) - [Similar pages](#)

[CodeProject: Porting Java Public Key Hash to C# .NET. Free source ...](#)

Oct 26, 2004 ... The tutorial demonstrates how to export the Public Key using Java to ... The default constructor automatically creates the seed value. ...  
[www.codeproject.com/KB/security/porting\\_java\\_public\\_key.aspx](#) - 123k - [Cached](#) - [Similar pages](#)

[Free seed catalogs Download - seed catalogs Linux Software](#)

We had to update atct tool to keep the track of all catalogs indexes and metadata, .... It is encoded with the public key - i.e. se = encode(seed, ...  
[linux.wareseeker.com/free-seed-catalogs/](#) - 54k - [Cached](#) - [Similar pages](#)

[\[iText-questions\] Public key security handler for certificate ...](#)

Nov 22, 2006 ... getEncodedRecipient(i); + md.update(encodedRecipient); ..... getEncoded(0, seed, 0, SEED\_LENGTH); // create the 20 bytes seed + } catch ...  
[www.mail-archive.com/itext-questions@lists.sourceforge.net/msg27325.html](#) - 49k - [Cached](#) - [Similar pages](#)

[Mailing List Archive - java-dev : Re: Public Key encryption ...](#)

Have you seen some documentation claiming that using the same seed input to the ...

[Java-dev mailing list \(\[EMAIL PROTECTED\]\) Help/Unsubscribe/Update your ...](#)

[www.mailinglistarchive.com/java-dev@lists.apple.com/msg03189.html](http://www.mailinglistarchive.com/java-dev@lists.apple.com/msg03189.html) - 12k -

[Cached](#) - [Similar pages](#)

[1](#) [2](#) [3](#) [4](#) [5](#) [6](#) [7](#) [8](#) [9](#) [10](#) [Next](#)

---

seed update "public key"

[Search within results](#) | [Language Tools](#) | [Search Tips](#) | [Dissatisfied? Help us improve](#) |  
[Try Google Experimental](#)

---

[Google Home](#) - [Advertising Programs](#) - [Business Solutions](#) - [Privacy](#) - [About Google](#)

Web Images Maps News Shopping Gmail more ▼

Sign in



"one time" token re-keying "public key"

Search

Advanced Search  
Preferences

Web

Results 1 - 10 of about 96,500 for "one time" token re-keying "public key" with Safesearch on. (0.35 second)

[Internet-Draft J. Marchioni Working Group: Individual ARX, Inc ...](#)

Aug 14, 2008 ... In the event that re-keying is required for signature keys the ... The functions normally provided by a software token, public-key smart ...  
[www.ietf.org/internet-drafts/draft-marchioni-itzhaki-ds-system-deployment-00.txt](#) - 30k -  
Cached - Similar pages

[StorefrontBacktalk » Blog Archive » Opposition To Tokenization A ...](#)

May 9, 2008 ... Since you've expressed concern over both certificate handling and the performance of public key cryptography, it makes me suspect you're ...  
[www.storefrontbacktalk.com/securityfraud/opposition-to-tokenization-a-lot-more-than-token/](#) - 61k - Cached - Similar pages

[PDF] [One-Time Passwords](#)

File Format: PDF/Adobe Acrobat - View as HTML

One Time Passwords – Unix Security Track. Public Key Authentication ..... Re-keying tokens for users. • Some tokens expire after 2-4 years. • OS upgrades ...  
[www.deer-run.com/~hat/ns2000/otp.pdf](#) - Similar pages

[VS 2005 trick for obtaining the public key token and blob of a ...](#)

... and you've built it at least one time, selecting the new Get Public Key menu item ... re: VS 2005 trick for obtaining the public key token and blob of a ...  
[www.andrewconnell.com/blog/archive/2006/09/15/4587.aspx](#) - 70k - Cached - Similar pages

[RFC 2093 \(rfc2093\) - Group Key Management Protocol \(GKMP\) ...](#)

The token field is validated with the public key of the source. The token version number is ... The rekey interval specified in the token is stored locally. ...  
[www.faqs.org/rfcs/rfc2093.html](#) - 49k - Cached - Similar pages

[Securing the Username Token with WSE 2.0](#)

Any password equivalent such as a derived password or S/KEY (one time password) can be ... If you're not going to encrypt the Username token, the first two ...  
[msdn.microsoft.com/en-us/library/ms996931.aspx](#) - 38k - Cached - Similar pages

[Internet-Draft J. Marchioni Working Group: Individual ARX, Inc ...](#)

The functions normally provided by a software token, public-key smart card or ... authentication options: (i) RADIUS protocol with one-time password token, ...  
[ftp://ftp.ripe.net/mirrors/internet-drafts/draft-marchioni-itzhaki-ds-system-deployment-00.txt](#) - 29k - Cached - Similar pages

[Amazon Web Services Developer Community : One-time access tokens ...](#)

Re: One-time access tokens. Posted: Apr 20, 2006 6:40 PM PDT in response to: ... the outgoing stream using the token + some random bits as the public key ...  
[developer.amazonwebservices.com/connect/message.jspa?messageID=37394](#) - 44k -  
Cached - Similar pages

[RFC 2093 - Group Key Management Protocol \(GKMP\) Specification. H ...](#)

The token field is validated with the public key of the source. .... RFC 2093 GKMP Specification July 1997 6.2.2 Rekey The purpose of rekey is as follows: o ...  
[rfc sunsite.dk/rfc/rfc2093.html](#) - 51k - Cached - Similar pages

[Firewall-Wizards: RE: \[fw-wiz\] Username password VS hardware token ...](#)  
The one time PIN burned into most USB tokens is almost guaranteed to be written down  
by dumb users ... (Firewall-Wizards); Re: public key authentication ...  
[www.derkeiler.com/Mailing-Lists/Firewall-Wizards/2005-02/0067.html](http://www.derkeiler.com/Mailing-Lists/Firewall-Wizards/2005-02/0067.html) - 14k -  
Cached - Similar pages

1 2 3 4 5 6 7 8 9 10 [Next](#)

---

"one time" token re-keying "public key"

[Search within results](#) | [Language Tools](#) | [Search Tips](#) | [Dissatisfied? Help us improve](#) |  
[Try Google Experimental](#)

---

[Google Home](#) - [Advertising Programs](#) - [Business Solutions](#) - [Privacy](#) - [About Google](#)

Web Images Maps News Shopping Gmail more ▾

Sign in



"one time" token re-keying "public key"

Search

Advanced Search  
Preferences

Web

Results 11 - 20 of about 96,600 for "one time" token re-keying "public key" with Safesearch on. (0.17 secor

Re: AxiomaticTokenizer - Increased payment securit:  
msg#00019 ...

Sponsored Links

**CHANGE-A-LOCK Rekey Kits**  
\$10.95 Do-it-yourself kits, Kwikset  
Schlage, Defiant, E-Z Set, Yale, etc  
[www.changealock.com](http://www.changealock.com)

service's public key can be incorporated in the application. ... Previous by Date: Re: AxiomaticTokenizer - Increased payment security with one time tokens ...  
osdir.com/ml/finance\_e-gold.user/2007-10/msg00019.html - 28k - Cached - Similar pages

Unified Authentication OTP Services - one-time passwords - from ...  
By providing a token, smart card, or other OTP generation tool to business ... Learn more about VeriSign® Public Key Infrastructure (PKI) Solutions. ...  
www.verisign.com/authentication/enterprise-authentication/enterprise-otp/ - 27k - Cached - Similar pages

Authentication and Key Establishment Scheme based on Token for ...  
called Token Verification Public Key (TVPK), and then registers the TVPK together with his public key .... MU only by means of one time operation of hash ...  
ieeeexplore.ieee.org/iel5/4402616/4402617/04402680.pdf?arnumber=4402680 - Similar pages  
by L. Chen - 2007 - Related articles - All 2 versions

Internet-Draft J. Marchioni Working Group: Individual ARX, Inc ...  
Sep 30, 2008 ... Re-keying 4 2.2. Applications and User Authentication 5 2.2.1. .... provided by a software token, public-key smart card or USB stick, (i.e., ...  
www.ietf.org/internet-drafts/draft-digital-signature-system-deployment-00.txt - 35k - Cached - Similar pages

[doc] Profile for SLCS X.509 Public Key Certification Authorities with ...  
File Format: Microsoft Word - View as HTML  
End-entity Certificate Expiration, Renewal and Re-keying ... on a secure hardware token; generated from a transient yet unique session handle retrieved from ...  
www.tagpma.org/files/SLCS-2007-5.doc - Similar pages

Re: RSA SecurID SID800 Token vulnerable by design  
To access its local cryptographic services (key generation, .... which RSA pioneered with its work on the seminal Public Key Crypto ...  
archive.cert.uni-stuttgart.de/bugtraq/2006/09/msg00272.html - 21k - Cached - Similar pages

[PDF] Using Token Based Authentication  
File Format: PDF/Adobe Acrobat - View as HTML  
We're interested in their use for Public Key Infrastructure (PKI) .... All All tokens use encryption. techniques to generate One-time. passwords. ...  
www.afp548.com/filemgmt/visit.php?id=51 - Similar pages

RE: Weak authentication in Xauth and IKE, CMC token enroll

The public/private key pair can be generated immediately prior to authentication using the token card and once the resulting certificate is used any ...  
[www.vpnac.org/ietf-ipsec/99.ipsec/msg01479.html](http://www.vpnac.org/ietf-ipsec/99.ipsec/msg01479.html) - 11k - [Cached](#) - [Similar pages](#)

(Last updated 23 March 2006) Name : Magnus Nyström Email ...  
Mar 23, 2006 ... For example, if the token is a one-time password token, ... If the public-key variant of CT-KIP is used, this may result in the attacker ...  
[www.jana.org/assignments/media-types/application/vnd.otps.ct-kip+xml](http://www.jana.org/assignments/media-types/application/vnd.otps.ct-kip+xml) - 12k - [Cached](#) - [Similar pages](#)

[PPT] [Some New Applications of One-Time Passwords](#)  
File Format: Microsoft Powerpoint - [View as HTML](#)  
token. 314 152. Yet Another Approach: Public-Key Agreement + OTP Hashing ....  
[Algorithm-independent: How OTPs are passed, not how they're generated ...](#)  
[www.rsa.com/rsalabs/staff/bios/bkailiski/publications/other/kailiski-otp-applications-oct06.ppt](http://www.rsa.com/rsalabs/staff/bios/bkailiski/publications/other/kailiski-otp-applications-oct06.ppt)  
- [Similar pages](#)

[Previous](#) [1](#) [2](#) [3](#) [4](#) [5](#) [6](#) [7](#) [8](#) [9](#) [10](#) [11](#) [Next](#)

---

"one time" token re-keying "public key"

[Search](#)

[Search within results](#) | [Language Tools](#) | [Search Tips](#) | [Dissatisfied? Help us improve](#) |  
[Try Google Experimental](#)

---

[Google Home](#) - [Advertising Programs](#) - [Business Solutions](#) - [Privacy](#) - [About Google](#)